

**From:** Ricardo Avendano <ricardo.avendano@lacity.org>  
**Sent time:** 09/05/2018 01:14:48 PM  
**To:** Alfredo Zaldivar <alfredo.zaldivar@lacity.org>  
**Cc:** Christopher DeMonbrun <chris.demonbrun@lacity.org>; Albert Lew <albert.lew@lacity.org>  
**Subject:** Re: Hollywood Center Project - NOP of EIR and Public Scoping Meeting - Primary Group Approval Request

---

Thank you, Freddo.

**Jose Ricardo Avendano**  
**Bureau of Sanitation**  
**Wastewater Engineering Services Division**  
**Office # 323-342-6227**  
**Cell. # 626-372-4456**  
**[ricardo.avendano@lacity.org](mailto:ricardo.avendano@lacity.org)**

On Wed, Sep 5, 2018 at 1:14 PM, Alfredo Zaldivar <[alfredo.zaldivar@lacity.org](mailto:alfredo.zaldivar@lacity.org)> wrote:  
Approved.

Thanks Ricardo

On Tue, Sep 4, 2018 at 4:57 PM, Ricardo Avendano <[ricardo.avendano@lacity.org](mailto:ricardo.avendano@lacity.org)> wrote:

Good afternoon Alfredo,  
Please review following project discharge for approval.

Project Name: Hollywood Center Project - NOP of EIR and Public Scoping Meeting.

Job Address: 1720-1724, 1740-1768, 1745-1753, and [1770 North Vine Street](#); 1746-1764 North [Ivar Avenue](#); [1733](#)-1741 North Argyle Avenue, 6236, 6270, and 6334 West Yucca Street, Los Angeles, CA 90028.

CEQA ID : 44-065-0818

Primary Sewer MH # : 469-14-037

Primary Basin: Hollywood.

Proposed Flow (GPD): 209,428

d/D: 0.12


Thanks,

José Ricardo

**Jose Ricardo Avendano**  
**Bureau of Sanitation**  
**Wastewater Engineering Services Division**  
**Office # 323-342-6227**  
**Cell. # 626-372-4456**  
**[ricardo.avendano@lacity.org](mailto:ricardo.avendano@lacity.org)**

--

Alfredo Zaldivar  
Environmental Engineering Associate  
City of Los Angeles - Public Works - LA Sanitation  
Direct: (323) 342-6258



-----Confidentiality Notice-----

This electronic message transmission contains information from the City of Los Angeles, which may be confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited.

If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.

-----