From: Lin, Alan S@DOT <alan.lin@dot.ca.gov>

**Sent time:** 12/24/2018 09:56:04 AM

To: Eddie Guerrero <eddie.guerrero@lacity.org>; Wes Pringle <wes.pringle@lacity.org>

Cc: Edmonson, Miya R@DOT <miya.edmonson@dot.ca.gov>

Subject: FW: Hollywood Center Project-Caltrans Recommendation for the Traffic Study

Attachments: Sample Que Table-Exist+Project Needed.pdf

Eddie and Wes,

Last Friday, developer representative has make a pick-up additional comment arrangement with Caltrans legal. Here is what I sent to Caltrans legal in case you have not seen it.

Merry Christmas and Happy New Year to you and to your family!

See you next year!!

Alan

From: Lin, Alan S@DOT

Sent: Friday, December 21, 2018 2:32 PM

To: Berkebile, Mark A@DOT <mark.berkebile@dot.ca.gov>

**Cc:** Edmonson, Miya R@DOT <miya.edmonson@dot.ca.gov>; Patel, Kirk@DOT <kirk.patel@dot.ca.gov>; Struhl, Mine@DOT <mine.struhl@dot.ca.gov>; Marquez, Paul Albert@DOT <paul-albert.marquez@dot.ca.gov>; Saghafi, Abdolhossein@DOT <abdi.saghafi@dot.ca.gov>; Hanna, Ashraf W@DOT (ashraf.hanna@dot.ca.gov) <ashraf.hanna@dot.ca.gov>; Noroozi, Homar@DOT <homar.noroozi@dot.ca.gov>

Subject: Hollywood Center Project-Caltrans Recommendation for the Traffic Study

Hi Mark,

Per our conversation and your suggestion today, here is the additional comment/recommendation for the consultant. Please forward to the applicant's representative today.

I have attached the queuing analysis template for the consultant's consideration.

Here are Caltrans recommendation for the traffic analysis which focusing on the "Potential Traffic Conflict".

- 1. Consultant may use 95 percentile to obtain queue length. Using 15% factor of safety to calculate threshold queue length as baseline. Measuring distance from the intersection to gore point is the total que length, 85% of this length is the significant threshold for queue length. Consultant is welcome to propose any meaningful method of threshold for Caltrans consideration.
- 2. If Synchro software is used to calculate queue length, then actual signal timing must be used.
- 3. Use local truck factor and 25 feet per passenger car.
- 4. Potential traffic conflict analysis should include off-ramps, affected intersections (left turn/right turn queue), acceleration/deceleration lanes, weaving areas in the project vicinity.
- 5. Selection Zone analysis should be performed up to 50 trips on the mainlines on US-101, SR-134, I-05. SR-170, etc.
- 6. Once queuing impact is identified, capacity widening should not be the first priority of improvement.
- 7. Potential traffic conflict improvements could be as
- 8. Safety sign/Yield Sign, delineation
- 9. Pavement markings
- 10. ADA ramps, Pedestrian sidewalk
- 11. Ramp metering
- 12. Intersection control
- 13. Ramp/lane widening (as last resource)
- 14. Developer may pay 100% or fair share contribution or fee program will be determined on the impact, direct or cumulative.
- 15. Please provide assignment of direct trips and cumulative trips to the State facilities.

Freeway Operation may have last-minute comment later. We are looking forward to review the traffic study and to provide comment before it goes to public.

Alan Lin, P.E.
Project Coordinator
State of California
Department of Transportation
District 7, Office of Transportation Planning
Mail Station 16
100 South Main Street
Los Angeles, CA 90012
(213) 897-8391 Office
(213) 897-1337 Fax

TABLE 8
PEAK HOUR OFF-RAMP INTERSECTION 95TH PERCENTILE QUEUES

		Dama	95% Damp	Barre	Ame I ame I ame A	notion		Existing (2016)	(2016)		บ	imulative (20;	Cumulative (2035) plus Project	T T	A 2000 C
Ramp	<b>Cross Street</b>	railip	loogth (#)	181	ולי ומווו במווכז מר ווורכו	35511011	AM Queue	nene	PM Q	PM Queue	AM Queue	nene	PM Queue	nene	Queue 63% Exceeds
		רבוופרוו (וול) [מ]	רבוופתוו (ווג)	Lanes	Move	Length [a]	Lane (ft)	Max (ft)	Lane (ft)	Max (ft)	Lane (ft)	Max (ft)	Lane (ft)	Max (ft)	Storages
teert? broked amed 300 barrodtseW 015.1	Boyford Street	1110	070	,	Left	520	×	>	×	>	×	>	×	>	- N/>
dilibria di pripogresa otta	מאומים מופפר		ę,	1	Right/Through/Left	1110	×	<	×	<	×	<	×	<	ON /cal
1.210 Easthound Off Barns	Boyford Street	1050	008	,	Right	550	×	>	×	>	×	>	×	>	- N/20X
dillari di castacaria cil validi	מסאוסות סוופפו	000	250	1	Through/Left	1050	×	<	×	<	×	<	×	<	ONIVE
teert? Alog	Polk Street	UEB	062	2	Right	460	×	>	×	>	×	>	×	>	ON/20X
Party Westboard Off-hamp	John Street	ner.	8	7	Through/Left	930	×	<	×	<	×	<	×	<	ies/ivo
1-210 Eastholind Off-Bamp	Polk Street	1180	1000	,	Right	069	×	>	×	>	×	>	×	>	ON/20X
dupar of the contract of the c	_	2011	2001	,	Through/Left	1180	×	۲	×	<	×	<	×	<	ON/cal
1-5 Northhound Off-Ramp	Roxford Street	1080	920	,	Right	780	×	>	×	>	×	>	×	>	ON/sex
			}	•	Right/Left	1080	×	<	×	<	×	<	×	<	081/621

[a]: Storage lengths determined based on scaled distances from on-line aerial photographs

Need to add Existing + Project Condition.