

Date : 4/23/2021 4:12:00 PM
From : "Bradley Furuya"
To : "Tcharssov, Andrei"
Cc : "Kim, Theresa"
Subject : Re: [EXTERNAL] Re: 2012 and 2016 SCAG demographic projections for Sunset + Wilcox Project WSAs
Attachment :
image001.jpg;image002.jpg;image003.jpg;image004.jpg;image005.jpg;image006.jpg;

Hi Andrei,

Yes, it is.



Bradley Furuya, AICP
City Planning Associate
Los Angeles City Planning

221 N. Figueroa St., Suite 1350

Los Angeles, CA 90012

Planning4LA.org

T: (213) 847-3642

On Fri, Apr 23, 2021 at 4:30 AM Tcharssov, Andrei <Andrei.Tcharssov@ladwp.com> wrote:

Bradley,

Is the Project currently consistent with the 2020 SCAG/RTP demographic projections?

Thanks.

From: Bradley Furuya <bradley.furuya@lacity.org>

Sent: Friday, February 26, 2021 6:04 PM

To: Tcharssov, Andrei <Andrei.Tcharssov@ladwp.com>

Cc: Kim, Theresa <Theresa.Kim@ladwp.com>

Subject: [EXTERNAL] Re: 2012 and 2016 SCAG demographic projections for Sunset + Wilcox Project WSAs

EXTERNAL EMAIL! This email was generated from a non-LADWP address. If any links exist, do not click/open on them unless you are 100% certain of the associated site or source. ALWAYS hover over the link to preview the actual URL/site and confirm its legitimacy.

Hi Andrei,

The Project is consistent with 2012 and 2016 SCAG/RTP projections and is located in a Transit Priority Area (TPA).



Bradley Furuya, AICP
City Planning Associate
Los Angeles City Planning

221 N. Figueroa St., Suite 1350

Los Angeles, CA 90012

Planning4LA.org

T: (213) 847-3642

On Thu, Feb 25, 2021 at 2:34 PM Tcharssov, Andrei <Andrei.Tcharssov@ladwp.com> wrote:

Bradley,

The City's water demand projections in the most recently adopted LADWP's 2015 UWMP were developed based on the 2012 Regional Transportation Plan (RTP) demographic projections by the Southern California Association of Governments (SCAG). If the Project is consistent with the 2012 SCAG/RTP demographic projections, we are able to conclude that the Project's demand was included in the 2015 UWMP and Information from 2015 UWMP can be incorporated in the Project's water supply assessment.

Please answer the following questions that would allow us to proceed and complete the WSA:

1. Is the Project currently consistent with the 2012 SCAG/RTP demographic projections?
2. Is the Project currently consistent with the 2016 SCAG/RTP demographic projections?

Let me know if there are any questions. Thanks.

Andrei Tcharssov

LADWP Water Resources Development

111 N. Hope Street, Room 308

Los Angeles, CA 90012

(213) 367-2155

-----Confidentiality Notice-----

This electronic message transmission contains information from the Los Angeles Department of Water and Power, which may be confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.

-----Confidentiality Notice-----

This electronic message transmission contains information from the Los Angeles Department of Water and Power, which may be

confidential. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify us immediately by e-mail and delete the original message and any attachment without reading or saving in any manner.

