


CITY OF LOS ANGELES
INTER-DEPARTMENTAL CORRESPONDENCE

Date: 10/13/2021

To: Mr. Vincent P. Bertoni, Director
Department of City Planning
200 N. Spring St., 5th Flr, MS-395

From: 
Gil De La Cruz, P.E.
Case Management Supervisor
Private Development Division
Bureau of Street Lighting

SUBJECT: STREET LIGHTING REQUIREMENTS FOR DISCRETIONARY ACTIONS

CITY PLANNING CASE No.: TRACT 83088
6450 W SUNSET BLVD

The Bureau of Street Lighting's recommended condition of approval for the subject city planning case is as follows: (Improvement condition added to S-3 (c) where applicable.)

IMPROVEMENT CONDITION: No street lighting improvements if no street widening per BOE improvement conditions. Otherwise relocate and upgrade street lights; four (4) on Cole Pl., three (3) on Wilcox Ave., and two (2) on Sunset Blvd. Remove and reinstall 50 feet of existing conduit behind new curb and gutter on De Longpre Ave.

NOTES:

The quantity of street lights identified may be modified slightly during the plan check process based on illumination calculations and equipment selection.

Conditions set: 1) in compliance with a Specific Plan, 2) by LADOT, or 3) by other legal instrument excluding the Bureau of Engineering conditions, requiring an improvement that will change the geometrics of the public roadway or driveway apron may require additional or the reconstruction of street lighting improvements as part of that condition.