

**TREE REPORT**

for

**3600 Wilshire Blvd.  
Los Angeles, CA 90010**

Applicant:

**3600 Wilshire, LLC  
3450 Wilshire Blvd. Suite 1200-115  
Los Angeles, CA 90010**

Prepared by  
**Harmony Gardens, Inc.**  
12224 Addison Street  
Valley Village, CA 91607  
Phone (818) 505-9783  
Shelley Sparks, RLA # 2896, ASLA  
ISA Certified Arborist #WE-10883A

Revised October 24, 2018

## **Tree Report**

### **Background**

According to Ordinance 177404 the following trees native tree species are protected: Oak trees including indigenous Oaks, Southern California Black Walnut, Western Sycamore and California Bay Tree. Any trees of the above species that are larger than 4" caliper at 4.5 feet above the ground level are to be considered protected for the purpose of this ordinance. Trees that are to be retained on the site need to be protected during any grading process to within 5' of the drip line of the tree to preclude potential damage to the tree. Non-protected trees of 8" caliper or larger need to be noted too.

The protected trees may be relocated or removed upon prior approval of removal if a) its presence prevents the reasonable development of the property, b) the health of the tree is in decline and its restoration is not advisable or feasible c) It is in danger of falling d) It interferes with proposed utility or roadways within or without property e) It has no apparent aesthetic value that will contribute to the appearance and design of a proposed subdivision.

Should a protected tree need to be removed, the first choice would be relocation elsewhere on the same property where the relocation is economically reasonable and favorable to the survival of the tree. Measures may need to be taken to mitigate adverse effects on the tree.

Should a protected tree need to be removed and relocation is not an option, trees of the protected tree species must be replaced within the property by at least four trees of a protected variety with 24" box or larger trees. The size and number of replacement trees shall approximate the value of the tree to be replaced.

### **Street Trees**

If a street tree requires removal from the site it is necessary to contact the Urban Forestry Division, Bureau of Street Services for the city of Los Angeles at (213) 847-3077.


### **Site Conditions**

This site consists of a 22 story 35,373 SF building and a two story 122,445 SF parking structure with a flat topography. The types of trees found on site and in the parkway were only unprotected species. Species found were *Washingtonia robusta*, *Schefflera pueckleri*, *Jacaranda mimisfolia* and *Ceiba speciosa*. All trees were tagged and retagged on the review visit. The survey was conducted on August 18 and August 21, 2016 and reviewed on October 18, 2018.

This project is on an entire city block so there are no adjacent trees that could possibly be affected by the construction.

### TREES IN PUBLIC RIGHT OF WAY

Tree 1 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to trunk canker, with a caliper of 12", standing 23' high by 20' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 2 is *Jacaranda mimosifolia*, Jacaranda, in good condition even though it has physical bark damage, with a caliper of 11", standing 23' high by 21' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 3 is *Jacaranda mimisifolia*, Jacaranda, in good condition despite trunk canker and branch dieback, with a caliper of 14", standing 26' high by 20' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 4 is *Jacaranda mimisifolia*, Jacaranda, in good condition despite lifting pavement and some trunk canker with a caliper of 14", standing 34' high by 20' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 5 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to trunk canker with a caliper of 15", standing 26' high by 20' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 6 is *Jacaranda mimosifolia*, Jacaranda, in good condition despite some trunk and branch canker with a caliper of 10", standing 22' high by 21' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 7 is *Jacaranda mimosifolia*, Jacaranda, in poor condition due to fungus and dieback with a caliper of 17", standing 25' high by 25' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 8 is *Jacaranda mimosifolia*, Jacaranda, in good condition despite some trunk damage with a caliper of 20", standing 24' high by 22' wide. This tree is scheduled to be removed so it will be necessary to contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 9 is *Jacaranda mimosifolia*, Jacaranda, in good condition with a caliper of 15", standing 26' high by 18' wide. This tree is scheduled to remain, however, should it need removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 10 is *Jacaranda mimosifolia*, Jacaranda, in poor condition due to major dieback and canker with a caliper of 12", standing 19' high by 17' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 11 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to moderately severe dieback with a caliper of 9", standing 21' high by 12' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 12 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to trunk canker, dieback, trunk damage and girdling roots with a caliper of 13", standing 25' high by 20' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 13 is *Jacaranda mimosifolia*, Jacaranda, in good condition despite slight dieback and canker. This tree has a caliper of 15", standing 30' high by 22' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 14 is *Jacaranda mimosifolia*, Jacaranda, in poor condition due to codominant stems that have a severe crack at the crotch that could lead to a hazard. This tree has moderate dieback and canker with a caliper of 12", standing 20' high by 18' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 15 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to moderate dieback and canker with a caliper of 11", standing 22' high by 13' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 16 is *Jacaranda mimosifolia*, Jacaranda, in good to fair condition due to canker with a caliper of 12", standing 24' high by 22' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 17 is *Jacaranda mimosifolia*, Jacaranda, in good condition with a caliper of 13", standing 30' high by 25' wide. This tree is scheduled to be removed so it is necessary to contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 18 is *Jacaranda mimosifolia*, Jacaranda, in good to fair condition due to canker and trunk damage, with a caliper of 19", standing 29' high by 29' wide. This tree is scheduled to be removed so it is necessary to contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 19 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to dieback and canker with a caliper of 18", standing 24' high by 20' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 20 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to trunk damage, dieback and canker with a caliper of 17", standing 26' high by 31' wide. This tree is scheduled to remain, however, should this tree need removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 21 is *Jacaranda mimosifolia*, Jacaranda, in fair condition due to canker with a caliper of 10", standing 19' high by 15' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 22 is *Jacaranda mimosifolia*, Jacaranda, in good condition with a caliper of 16", standing 20' high by 18' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.




Tree 23 is a dead tree in the street tree well and should be removed to prevent a hazard. This tree is in the way of a future driveway so it will not be replaced and requires no replacement value. This situation should be reviewed with Urban Forestry Division when the other removals are reviewed.



Tree 24 is *Jacaranda mimosifolia*, Jacaranda, in good condition with a caliper of 12", standing 26' high by 22' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 27 is *Jacaranda mimisifolia*, Jacaranda, in good condition with a caliper of 12", standing 24' high by 23' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 28 is *Jacaranda mimisifolia*, Jacaranda, in good to fair condition due to canker with a caliper of 13", standing 23' high by 19' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 29 is *Jacaranda mimisifolia*, Jacaranda, in good condition except for poor pruning with a caliper of 13", standing 23' high by 18' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 30 is *Jacaranda mimisifolia*, Jacaranda, in good/fair condition due to poor pruning with a caliper of 9", standing 19' high by 15' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.




Tree 29 is *Jacaranda mimosifolia*, Jacaranda, in good condition despite poor pruning with a caliper of 13", standing 23' high by 18' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 30 is *Jacaranda mimosifolia*, Jacaranda, in good/fair condition due to poor pruning with a caliper of 9", standing 19' high by 15' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 31 is *Jacaranda mimosifolia*, Jacaranda, in good condition despite poor pruning with a caliper of 8", standing 18' high by 14' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 32 is *Jacaranda mimosifolia*, Jacaranda, in good condition despite poor pruning with a caliper of 17", standing 28' high by 22' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.



Tree 33 is *Jacaranda mimosifolia*, Jacaranda, in good condition despite poor pruning with a caliper of 14", standing 25' high by 18' wide. This tree is scheduled to remain, however, should it require removal, contact Urban Forestry Division for replacement value as it is a STREET TREE.




#### **TREES ON PRIVATE PROPERTY**


Tree A is *Schefflera pueckleri*, Umbrella Tree in good condition. It is multi-trunked with calipers of 5-5" 4" and 3" and is 20' high by 20' wide. This unprotected tree will remain but should it require removal, replacement value for this tree is a 24" Box tree.



Trees B & C are *Washingtonia robusta*, Mexican Fan Palm in good condition with a dimensions as follows B-caliper 14" and 14' high by 6' wide and C- caliper 13" and 38' high by 7' wide. These trees are scheduled to remain, however, should these trees be removed, replacement value would be 24" box/ tree.




Trees D1 and D2 are *Ceiba speciosa*, Silk Floss Tree in poor and fair condition respectively. Specifications are: D1 severe dieback caliper- 19" standing 30' high by 12' and D2 moderate dieback-caliper- 20" and 36' high by 16' wide. These unprotected trees will be removed and the replacement value for this tree is a 24" Box tree.



Tree E is *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback of the branches with a caliper of 16" and is 20' high by 20' wide. This unprotected tree will be removed and the replacement value for this tree is a 15 Gallon tree.



Tree F is *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback of the branches with a caliper of 13" and is 27' high by 13' wide. This unprotected tree will be removed and the replacement value for this tree is a 15 Gallon tree.



Trees G, H, I are *Ceiba speciosa*, Silk Floss Tree all in poor condition due to severe dieback. Specifications of the trees are as follows: G- caliper-12" with height 19' by 15' wide, H- caliper-14" with height 19' by 18' wide, I- caliper-13" with height 19' by 11'. These unprotected trees will be removed and the replacement values are a 15 Gallon tree/tree.




Tree J is *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback of the branches with a caliper of 12" and is 17' high by 6' wide. This unprotected tree will be removed and the replacement value for this tree is a 15 Gallon tree.




Trees K and L are *Ceiba speciosa*, Silk Floss Tree both in poor condition due to severe dieback. Specifications of the trees are as follows: K- caliper-13" with height 21' by 8' wide, L- caliper-19" with height 22' by 14' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.




Trees M and N are *Ceiba speciosa*, Silk Floss Tree both in poor condition due to severe dieback. Specifications of the trees are as follows: M- caliper-18" with height 25' by 16' wide, N- caliper-19" with height 25' by 8' wide. These unprotected trees will be removed and the replacement value are a 15 Gallon tree/ tree.




Trees O & P are *Washingtonia robusta*, Mexican Fan Palm in good condition with a dimensions as follows O-caliper 17" and 45' high by 9' wide and P- caliper 15" and 18' high by 7' wide. These trees are scheduled to be removed and replacement value for these are 24" box/ tree.



Trees Q and R are *Ceiba speciosa*, Silk Floss Tree both in poor condition due to severe dieback. Specifications of the trees are as follows: Q- caliper-21" with height 25' by 6' wide, R- caliper-16" with height 19' by 5' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.



Trees S is *Ceiba speciosa*, Silk Floss Tree in very poor condition due to severe dieback. Tree T is a *Washingtonia robusta*, Mexican Fan Tree in good condition. The former Tree U is dead. Specifications of the trees are as follows: S- caliper-12" with height 21' by 10' wide, T- caliper-12" with height 21' by 5' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.



Tree V is *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback with a caliper of 12" and is 13' high by 5' wide. This unprotected tree will be removed and the replacement value for this tree is a 15 Gallon tree.




Trees W and X are *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback. Specifications of the trees are as follows: W- caliper-17" with height 26' by 9' wide, X- caliper-15" with height 28' by 8' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.



Trees Y, Z, AZ and BY are *Ceiba speciosa*, Silk Floss Tree all in poor condition due to severe dieback. Tree specifications are as follows: Y- caliper 8" with height 20' by 8' wide, Z - caliper 19" with height 26' by 21', AZ- caliper-11" with height 19' by 10' wide, BY- caliper-12" with height 17' by 10' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.



Trees CW and DV are *Ceiba speciosa*, Silk Floss Tree in poor due to severe dieback. Specifications of the trees are as follows: CW- caliper-15" with height 28' by 10' wide, DV- caliper-15" with height 19' by 8' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.




Trees EU and FT are *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback. Specifications of the trees are as follows: EU- caliper-17" with height 14' by 5' wide, FT- caliper-9" with height 16' by 4' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.




Trees GS and HR are *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback. Specifications of the trees are as follows: GS- caliper-15" with height 20' by 9' wide, HR- caliper-14" with height 20' by 7' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.




Trees IQ and JP are *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback. Specifications of the trees are as follows: IQ- caliper-14" with height 20' by 5' wide, JP- caliper-15" with height 22 by 8' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.



Trees KO, LM and MN are *Ceiba speciosa*, Silk Floss Tree in poor condition due to severe dieback. Specifications of the trees are as follows: KO- caliper-16" with height 19' by 10' wide, LM- caliper- 11" with height 16' by 7' wide and MN- caliper- 10" with height 16' by 5' wide. These unprotected trees will be removed and the replacement value for these trees are a 15 Gallon tree/ tree.



Trees NL and PK are *Ceiba speciosa*, Silk Floss Tree in fair condition, due to moderate dieback for NL and lifting pavement for PK. Specifications of the trees are as follows: NL- caliper-17" with height 38' by 12' wide, PK- caliper-26" with height 40' by 22' wide. These unprotected trees will be removed and the replacement value for these trees are a 24" box/ tree.



Site plan of Lot 28 showing tree locations and removal status. The plan includes a north arrow, a street grid, and various annotations for tree management.

**Legend:**

- # = Dead Tree
- % = Undersize caliper tree
- = Trees to be removed

**Tree Locations and Status:**

- Top Left:** Trees 15-18 are marked with # (Dead Tree). Trees 19-24 are marked with % (Undersize caliper tree). Trees 25-28 are marked with ○ (Trees to be removed).
- Top Right:** Trees 29-33 are marked with % (Undersize caliper tree). Trees 34-38 are marked with ○ (Trees to be removed).
- Bottom Left:** Trees 39-44 are marked with % (Undersize caliper tree). Trees 45-48 are marked with ○ (Trees to be removed).
- Bottom Right:** Trees 49-54 are marked with % (Undersize caliper tree). Trees 55-58 are marked with ○ (Trees to be removed).

**Other Annotations:**

- Lot 28:** The central area of the plan, bounded by Kingsley Dr to the north and Wilshire Blvd to the south.
- Planting Area:** A rectangular area in the center of Lot 28, labeled "PLANTING AREA".
- Building Footprint:** A large rectangular area in the center of Lot 28, labeled "BUILDING FOOTPRINT".
- Access Ramp:** A ramp located on the east side of Lot 28, labeled "ACCESS RAMP".
- Street Grid:** The plan shows a grid of streets including Kingsley Dr, Wilshire Blvd, and various numbered streets (1st to 10th).

Summary of Trees							
Tree	Botanical Name	Common Name	Health	Aesthetic	Comments	Protected	Remove
TREES IN PUBLIC RIGHT OF WAY							
1	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Fair	TC	No	No
2	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
3	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Fair	TC, D	No	No
4	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Fair	BD, LP	No	No
5	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Fair	TC	No	No
6	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
7	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Poor	F, D	No	No
8	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	Yes
9	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
10	<i>Jacaranda mimosifolia</i>	Jacaranda	Poor	Poor	D	No	No
11	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Fair	D	No	No
12	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Fair	TD, G, TC, D	No	No
13	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
14	<i>Jacaranda mimosifolia</i>	Jacaranda	Poor	Poor	CS, D, C	No	No
15	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Fair	D, C	No	No
16	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Good	C	No	No
17	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	Yes
18	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Good	C, TD	No	Yes
19	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Fair	D, C	No	No
20	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Fair	TD, D, C	No	No
21	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Good	C	No	No
22	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
23	DEAD TREE					No	Yes
24	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
25	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
26	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
27	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good		No	No
28	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Good	C	No	No
29	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good	PP	No	No
30	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Fair	PP	No	No
31	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Fair	PP	No	No
32	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Fair	PP	No	No
33	<i>Jacaranda mimosifolia</i>	Jacaranda	Good	Good	PP	No	No

TREES IN PRIVATE PROPERTY							
A	<i>Schefflera pueckleri</i>	Umbrella Tree	Good	Good		No	No
B	<i>Washingtonia robusta</i>	Mexican Fan Palm	Good	Good		No	No
C	<i>Washingtonia robusta</i>	Mexican Fan Palm	Good	Good		No	No
D1	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
D2	<i>Ceiba speciosa</i>	Silk Floss Tree	Good	Fair	D	No	Yes
E	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
F	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	F, D	No	Yes
G	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
H	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
I	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
J	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
K	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
L	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
M	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
N	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
O	<i>Washingtonia robusta</i>	Mexican Fan Palm	Good	Good		No	Yes
P	<i>Washingtonia robusta</i>	Mexican Fan Palm	Good	Good		No	Yes
Q	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
R	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
S	<i>Ceiba speciosa</i>	Silk Floss Tree	Very	Poor	D	No	Yes
T	<i>Washingtonia robusta</i>	Mexican Fan Palm	Good	Good		No	Yes
U	DEAD TREE					No	Yes
V	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
W	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
X	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
Y	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
Z	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
AB	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
BY	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
CW	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
DV	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
EU	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
FT	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
GS	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
HR	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
IQ	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
JP	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
KO	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
LM	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
MN	<i>Ceiba speciosa</i>	Silk Floss Tree	Poor	Poor	D	No	Yes
NL	<i>Ceiba speciosa</i>	Silk Floss Tree	Fair	Fair	D	No	Yes
PK	<i>Ceiba speciosa</i>	Silk Floss Tree	Fair	Good	LF	No	Yes

TC= Trunk Canker, D= Dieback, BC= Branch Canker, LP= Lifting Pavement, F= Fungus,

G= Girdling, TD=Trunk Damage, CS= Codominant Stems, PP=Poor Pruning



**ISA** International Society of Arboriculture  
www.isa-arbor.com • p. +1 217.355.9411 • isa@isa-arbor.com

CALIFORNIA ARCHITECTS BOARD  
LANDSCAPE ARCHITECTS TECHNICAL COMMITTEE  
2420 DEL PASO ROAD, SUITE 105  
SACRAMENTO, CA 95834  
916 575-7230

**dca**  
Division of Contract Administration

CERTIFICATE NO. **2896** **Landscape Architect** EXPIRATION **11/30/20**

**SHELLEY E. SPARKS**  
**12224 ADDISON ST.**  
**VALLEY VILLAGE CA 91607**

Signature *Shelley Sparks* RECEIPT NO. **82620733**

Respectfully submitted,



Shelley Sparks, RLA #2896, ASLA  
ISA Certified Arborist #WE-10883A